

# SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

## M O U N T I N G I N S T R U C T I O N S

REF 21576

OIL CARTER GUARD



Nº 8  
Nº 13  
Nº 15  
Nº 17



ALLEN

Nº 4  
Nº 5  
Nº 8




| ID | PIEZA/PART | DESCRIPCIÓN                                                          | DESCRIPTION                                                    | QTY | REF             |
|----|------------|----------------------------------------------------------------------|----------------------------------------------------------------|-----|-----------------|
| 1  |            | Protector de aluminio                                                | Aluminum protection plate                                      | 1   | SOPOR5P3PN21576 |
| 2  |            | Soporte delantero derecho                                            | Right front support                                            | 1   | SOPOR5P3DD21576 |
| 3  |            | Soporte delantero izquierdo                                          | Left front support                                             | 1   | SOPOR5P3DI21576 |
| 4  |            | Soporte trasero derecho                                              | Right rear support                                             | 1   | SOPOR5P3TD21576 |
| 5  |            | Soporte trasero izquierdo                                            | Left rear support                                              | 1   | SOPOR5P3TI21576 |
| 6  |            | Amortiguador antivibratorio<br>silentblock Ø20x10 ( M6x18, int M6x6) | Anti vibration damper<br>silentblock Ø20x10 ( M6x18, int M6x6) | 4   | SILENTBLOCK-523 |
| 7  |            | Tornillo M6 x8 DIN7991                                               | M6 x8 DIN7991 screw                                            | 4   | TORNI-D7991-918 |
| 8  |            | Tornillo M6 x16 DIN7991                                              | M6 x16 DIN7991 screw                                           | 2   | TORNI-D7991-544 |
| 9  |            | Tornillo M10x120 DIN 912                                             | M10x120 DIN 912 screw                                          | 1   | TORNI-D912--919 |
| 10 |            | Arandela M10 DIN125                                                  | M10 DIN125 washer                                              | 1   | ARAND-PIM10-574 |
| 11 |            | Tuerca M10 DIN985                                                    | M10 DIN985 nut                                                 | 1   | TUEA-D985.8-M10 |
| 12 |            | Arandela M8 DIN9021                                                  | M8 DIN9021 washer                                              | 1   | ARAND-D9021-625 |

# SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

## INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

**1**


DISASSEMBLY  
DESMONTAJE



LEFT SIDE

**2**


DISASSEMBLY  
DESMONTAJE



RIGHT SIDE

**3**

DISASSEMBLY  
DESMONTAJE




RIGHT SIDE

DESMONTAR SOPORTES ORIGINALES,  
Y VOLVER A APRETAR TORNILLOS  
REMOVE ORIGINALS SUPPORTS,  
AND RE-TIGHTEN SCREWS

**4**

DISASSEMBLY  
DESMONTAJE



LEFT SIDE


DESMONTAR SOPORTES ORIGINALES,  
Y VOLVER A APRETAR TORNILLOS  
REMOVE ORIGINALS SUPPORTS,  
AND RE-TIGHTEN SCREWS

## SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

### INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

**5**


DISASSEMBLY  
DESMONTAJE



RIGHT SIDE

**6**

ASSEMBLY  
MONTAJE



**A** PIEZA ORIGINAL  
ORIGINAL PART

RIGHT SIDE


**A** Par Apriete - 15 Nm  
Tightening Torque - 15 Nm

## SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

### INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

7


DISASSEMBLY  
DESMONTAJE



LEFT SIDE

8

ASSEMBLY  
MONTAJE



**A** PIEZA ORIGINAL  
ORIGINAL PART

LEFT SIDE


**A**  Par Apriete - 20 Nm  
Tightening Torque - 20 Nm

# SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

## INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

**9**

ASSEMBLY  
MONTAJE




LEFT SIDE

**9** Par Apriete - 25 Nm  
Tightening Torque - 25 Nm

**10**

ASSEMBLY  
MONTAJE



RIGHT SIDE

**8** Par Apriete - 10 Nm  
Tightening Torque - 10 Nm

**7** Par Apriete - 8 Nm  
Tightening Torque - 8 Nm